

Stormwater Pollution Prevention Plan

Municipality: Borough of Emerson

County: Bergen County

Permit Number NJG 0150061

Annual Review Date: Stormwater 09/13/24

Program Coordinator: Rob Hermansen

Table of Contents

| | |
|--|-----------|
| Form 1 – Team Members | 3 |
| Form 2 – Revision History | 4 |
| Form 3 – Public Announcements..... | 5 |
| Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment ... | 6 |
| Form 5 – Ordinances | 8 |
| Form 6 – Street Sweeping..... | 9 |
| Form 7 – MS4 Infrastructure | 10 |
| Form 8 – Community-wide Measures..... | 14 |
| Form 9 – Municipal Maintenance Yards & Other Ancillary Operations | 15 |
| Form 10 – Training..... | 19 |
| Form 11 – MS4 Mapping | 22 |
| Form 12 – Watershed Improvement Plan | 23 |

Form 1 – Team Members

| Stormwater Program Coordinator (SPC) | | | |
|---|------------------|--|---------------------------|
| Name and Title | | Rob Hermansen, Borough Administrator | |
| Phone | 201-262-5077 | Email | rhermansen@emersonnj.org |
| Individual(s) Responsible for Major Development Project Stormwater Management Review | | | |
| Name and Title | | Perry Solimando, DPW Superintendent | |
| Phone | 201-262-8199 | Email | dpwsuper@emersonnj.org |
| Name and Title | | Neglia Group (Borough Engineer) | |
| Phone | 201-939-8805 | Email | datkinson@negliagroup.com |
| Other Municipal Stormwater Team Members | | | |
| Name and Title | | Michelle Ryan, Acting Clerk, Public Notice Coordinator | |
| Phone | 201-262-6086 | Email | deputyclerk@emersonnj.org |
| Name and Title | | Triessa DeSimone, Deputy Clerk | |
| Phone | 201-262-6086 | Email | deputyclerk@emersonnj.org |
| Name and Title | | John McCann, Borough Attorney | |
| Phone | 201-262-6086 | Email | mccannlaw@comcast.net |
| Shared/Contracted Service Providers | | | |
| Provider Name | Service Provided | Term of Service | |
| | | | |
| | | | |

Form 2 – Revision History

| Revision Date | Form # Changed | Reason for Revision (Updates to staff, policy, webpage, etc.) |
|---------------|----------------|---|
| 09/09/2011 | All | Annual Review |
| 08/01/2016 | All | Annual Review |
| 08/15/2019 | All | Follow up to NJDEP Inspection |
| 05/14/2020 | Page 3 | Change in Stormwater Program Coordinator (SPC) and Educational program update |
| 08/21/2020 | All | Annual Review |
| 04/26/2022 | P 1-7 | Updated Stormwater Management Plan Change in Local Public Education Coordinator (SPC) and Educational program update |
| 08/27/2024 | All | Annual Review |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Form 3 – Public Announcements
Part IV.B. and C.

| |
|--|
| 1. Provide the link to the dedicated stormwater webpage for your municipality. |
| https://www.emersonnj.org/index.asp?SEC=88852F26-5861-44DF-98A2-99CEA4382847 |
| 2. List the name and title of person(s) responsible for stormwater webpage postings/updates. |
| Rob Hermansen, Borough Administrator / Michelle Ryan, Acting Borough Clerk |
| 3. List the newspapers, social media outlets, websites, direct mailings (Email or postal), and other communication approaches typically used to inform/educate the public on stormwater program information and related events/activities. |
| <p>For meetings where public notice is required under the Open Public Meetings Act ("Sunshine Law", N.J.S.A. 10:4-6 et seq.), the Borough of Emerson provides public notice in a manner that complies with the requirements of that Act.</p> <p>In regard to the passage of ordinances, Emerson Borough provides public notice in a manner that complies with the requirements of N.J.S.A. 40:49-1 et seq.</p> <p>For municipal actions (e.g., adoption of the municipal Stormwater Management Plan) subject to public notice requirements in the Municipal Land Use Law (N.J.S.A. 40:55D-1 et seq.), Emerson Borough complies with those requirements.</p> <p>Public Notices, General Notices, New Municipal Notices and other Municipal Actions are posted on the Borough Hall official Bulletin Board, and published in the Bergen Record and Ridgewood News.</p> |

Form 4 – Post-Construction Stormwater Management in New Development and Redevelopment

Part IV.E.

1. How does the municipality define “major development”? If it is different from the definition in N.J.A.C. 7:8, explain the difference.

"Major Development" is defined as followed to match the definition in N.J.A.C. 7:8:

An individual development, as well as multiple developments that individually or collectively result in: (1) The disturbance of one or more acres of land since February 2, 2004; (2) The creation of 1/4 acre or more of regulated impervious surface since February 2, 2004; (3) The creation of 1/4 acre or more of regulated motor vehicle surface since March 2, 2021 (or the effective date of this article, whichever is earlier); or (4) A combination of Subsection A(2) and (3) above that totals an area of 1/4 acre or more. The same surface shall not be counted twice when determining if the combination area equals 1/4 acre or more.

2. Is the municipality’s stormwater control ordinance (SCO) the same as or more stringent than NJDEP’s model SCO? If more stringent, explain the difference.








The Borough of Emerson's stormwater control ordinance is in conformance with the NJDEP’s model SCO.

3. Describe the process for reviewing major development project applications for compliance with the SCO and Residential Site Improvement Standards (RSIS).

All applications for Major Development projects are submitted to the Board Secretary. Once received, the submission is forwarded to the Board Engineer and Planner. The Engineer reviews the plans to confirm compliance with the Stormwater Control Ordinance and Residential Site Improvement Standards. The Land Use Board will not approve any applications that are not in compliance with the SCO and RSIS.

| |
|---|
| <p>4. Does your municipality have a mitigation plan included in your Municipal Stormwater Management Plan and Stormwater Control Ordinance? Indicate the location of records of all variances granted.</p> |
| <p>Yes, mitigation plan is included in the Municipal Stormwater Management Plan and it's not included on the Stormwater Control Ordinance. No variances have been granted at this time.</p> |
| <p>5. Indicate the dates of each iteration of the township's Stormwater Control Ordinance, starting with the initial adoption and including revisions.</p> |
| <p>The original SCO was adopted on May 02, 2006 and last amended in its entirety on August 17, 2021. It shall be noted, a revised version on the SCO has been submitted and is awaiting county approval. The SCO has been revised to comply with the latest stormwater regulations.</p> |
| <p>6. Indicate the dates of each iteration of the township's Municipal Stormwater Management Plan, starting with the initial adoption and including revisions.</p> |
| <p>The last full Master Plan was adopted in 2006. Master Plan Reexamination Reports were adopted in 2017 and 2020 and a Master Plan Amendment was adopted in 2015. The latest version of the Stormwater Management Plan is dated June 15, 2021.</p> |

Form 5 – Ordinances
Part IV.F.1.

| Ordinance | Date Adopted | Was the DEP model adopted without change? If not, explain how the municipality's is more stringent. | Entity Responsible for Enforcement | Fees & Fines |
|--|---------------------|--|--|---|
| 1. Pet Waste | 04/05/2005 | Yes | Police, Zoning  | \$ ____ <small>not to exceed \$1000</small> |
| 2. Wildlife Feeding | 04/05/2005 | Yes | Police, Zoning  | \$ ____ <small>not to exceed \$1000</small> |
| 3. Litter Control | 04/05/2005 | Yes | Police, Zoning  | \$ ____ <small>between \$100-\$500</small> |
| 4. Improper Disposal of Waste | 04/05/2005 | Yes | Police, Zoning Officials | \$ ____ <small>not to exceed \$1,000</small> |
| 5. Yard Waste | 04/05/2005 | Yes | Police, Zoning  | \$ ____ <small>not to exceed \$1,000</small> |
| 6. Private Storm Drain Inlet Retrofitting | 03/02/2010 | Yes | Police, Zoning Officials | \$ ____ <small>not to exceed \$500</small> |
| 7. Illicit Connections | 04/05/2005 | Yes | Police, Zoning  | \$ ____ <small>not to exceed \$1,000</small> |
| 8. Privately-Owned Salt Storage | | Township is in the process of incorporating ordinance. | Police, Zoning  | \$ ____ |
| 9. Tree Removal- Replacement | 02/18/2020 | <small>No. More Replacement Trees are required than requested within the Tree Replacement Require</small> | Police, Zoning  | \$ ____ <small>not more than \$1,500</small> |
| List any additional stormwater-related ordinances the municipality has adopted that address issues beyond the scope of the MS4 permit. Include adoption date, entity responsible for enforcement, and related fees and fines. | | | | |
| No additional stormwater related ordinances beyond the scope of the MS4 permit. | | | | |
| Indicate the location of records associated with ordinances and related violations and enforcement actions below. | | | | |
| Office of the Borough Clerk Borough of Emerson 1 Municipal Place Emerson, NJ 07630 | | | | |

Form 6 – Street Sweeping

Part IV.F.2.a.i. and ii.

1. Provide a written description and/or attach a map outlining the sweeping schedule for the following:

- Segments of municipal roads with storm drain inlets that discharge to surface water (required at least 3 times each year)
- Segments of municipal roads that do not have storm drain inlets but do discharge to surface water (required at least 1 time each year)

Note: Only asphalt and concrete roads need to be swept. Roads that do not have storm drain inlets and do not discharge to surface water do not need to be swept.

Streets swept:

The sweeper starts at the corner of Emerson Plaza East and Palisade Avenue on the south side and sweeps both sides of the street as far as the library. It then continues up the East side of Plaza East to Thomas St. where it turns, does both sides of Thomas Street as far as the Fire House. Then, the sweeper turns right onto Emerson Plaza East, onto Kinderkamack Road and right into Linwood Avenue where it sweeps the south side as far as Municipal place. Here it turns left, and continues to Locust where it also turns left and sweeps the north side of Locust to Kinderkamack. The sweeper turns left into Lincoln Blvd and sweeps both sides of the street as far as Kenneth Street. It then turns on to Kinderkamack and makes a right into Locust and sweeps the south side of that street as far as Municipal Place where it turns right and then right again into Linwood and sweeps the north side as far as Emerson Plaza West. At Emerson Plaza West it turns left and sweeps the west side of that street, then makes the right on to Ackerman and sweeps to Hasbrouck. The vehicle turns around and does the other side of Ackerman to Emerson Plaza West where the vehicle sweeps the east side of that street around to the traffic light.

Lozier from Kinderkamack to the dead-end both sides.

Starting at Kinderkamack the vehicle sweeps Chestnut Street to Bland Street and then turns right into Bland St where both sides of the street are swept.

Schedule:

The streets described above are swept once a month.

2. Indicate if sweeping work is outsourced and if so, describe the arrangement.

No other entities are involved.

Form 7 – MS4 Infrastructure
Part IV.F.2-4. and Part IV.G.2-3.

1. Municipal Storm Drain Inlets

- a. Describe how you ensure that municipal inlets without permanent wording cast into the design have been properly labelled.
- b. Describe how you ensure that municipal and private storm drain inlets have been retrofitted.
- c. Describe how you ensure that newly installed storm drain inlets include corresponding catch basins or other BMPs to collect solids.
- d. Describe when and how you conduct inspections of storm drain inlets and the criteria used to determine when they need to be cleaned.

- a. The Borough inspects all of the storm drains in January to see if the inlet labels are still affixed. If not, they are replaced as needed.
- b. Municipally owned;
If, during the course of repaving, repairing, reconstruction or alteration projects done on borough roads, any storm drain inlets are found not to meet the current standard they are replaced as part of the project. All Municipal roads are inspected after construction to confirm compliance.
Privately owned;
As part of the construction permit review process, the Borough Engineer reviews the site plans to make sure that the plans indicate the required inlet retrofits if they are required. For any project requiring owned storm drains to be retrofitted, the Borough Engineer and Construction Code Official inspect the site to make sure the inlets are properly retrofitted prior to issuing final approval and/or Certificate of Occupancy at the end of the project.
- c. The Borough Engineer reviews all major development applications to verify that all catch basins and/or other BMPs are that are proposed in compliance with all regulations and standards.
- d. All storm drain inlets will be inspected and cleaned as necessary at least once each year. Storm Drain Inlets with no debris will not be cleaned. At the time of cleaning, the storm drain inlets will also be inspected for proper function. Maintenance will be scheduled for those inlets that require improvements.

2. Municipal Catch Basins

- a. Describe when and how you conduct inspections of catch basins.
- b. Describe the criteria used to determine when catch basins need to be cleaned.

- a. The DPW inspects all catch basins and storm drain inlets annually. The DPW also ensures to inspect inlets that are flagged during storm events by residents. At the time of cleaning, the catch basins will also be inspected for proper function.
- b. The department of public works staff are trained to check for debris collected in the catch basin. All catch basins that are more than halfway full are scheduled for clean-out.

3. Municipal Conveyance System

Describe when and how inspections of MS4 conveyance systems are conducted, and the criteria used to determine when they need to be cleaned. Include a description of the equipment and techniques used.

Inspections are carried out on a regular basis and following significant rainfall occurrences. The MS4 conveyance system, comprising pipes, culverts, and other structures will be visually inspected as part of the inspection process. To determine whether the system needs to be cleaned depends on its accumulated debris and sediments levels (leaves, branches, etc.). If there is notable debris, the staff is required to schedule maintenance of said system.

4. Municipal Outfall Inspections – Stream Scouring

Describe the program in place to detect, investigate, and control localized stream scouring from stormwater outfalls. Include a description of the equipment and techniques used.

The localized stream scouring from stormwater outfall pipes are inspected annually. Conditions are checked to see if they are worsening and need corrective action. The records are kept at

Department of Public Works
Borough of Emerson
1A Emerson Plaza East
Emerson, NJ 07630

All sites of scouring will be place on a prioritized list and repairs will be made in accordance with the Standard for Soil Erosion and Sediment Control in New Jersey.

5. Municipal Outfall Inspections – Illicit Discharge Detection and Elimination

Describe the program in place for conducting visual dry weather inspections of municipally owned or operated outfalls. Include a description of the equipment and techniques used. Record cases of illicit discharges using the DEP’s Illicit Connection Inspection Report Form from the Department’s main stormwater webpage.

Inspections of the outfall piping are conducted during dry weather periods. If excessive or unusual flows are witnessed during the inspection, further investigation, coordinated by the Department of Public Works occurs to try to identify the source.

6. Other Municipal Infrastructure

List the types of MS4 infrastructure in your town that require inspection but are not noted above in items 1-5. Describe when and how you conduct inspections of this infrastructure and the criteria used to determine when they need to be maintained and/or cleaned.

There are 5 Stormwater facilities in the Borough of Emerson

Separators

One at Emerson Woods, Main St & Ridge Road

Two on Groesbeck Court

These are cleaned twice a year.

Detention basins

There are two, one on Forest Avenue and one on Congress Road.

These are checked and cleared after every heavy rainfall

7. Stormwater Facilities Not Owned or Operated by the Municipality

Describe your program for ensuring adequate long-term cleaning, operation, and maintenance of stormwater facilities not owned or operated by the municipality. This should include your plan for ensuring annual inspections are being done on these private properties and describe how you record the locations and logs associated with private infrastructure.

For BMPs on private property that the Borough does not own or operate, the Borough has adopted and enforces a provision in the ordinance that requires the private entity to perform the operation and maintenance, with penalties if the private entity does not comply. If, for example, the private entity does not perform the required maintenance, the Borough can perform the maintenance and charge the private entity.

8. Infrastructure Records

Indicate the location of records related to stormwater infrastructure inspection, cleaning, maintenance, and repair activities.

Department of Public Works
Borough of Emerson
1A Emerson Plaza East
Emerson, NJ 07630

Form 8 – Community-wide Measures

Part IV.F.2.

1. Herbicide Application Management

Describe your program for preventing herbicides from being washed into the waters of the State and to prevent erosion caused by de-vegetation.

There will be several actions taken to prevent erosion brought on by de-vegetation as well as the washing of herbicides into state waters. A thorough evaluation of the terrain, soil types, and closeness to waterways will be done to pinpoint the most vulnerable locations. The next phase will include steps to avoid erosion, like managing pesticides to reduce environmental effects and stabilizing the soil with vegetation and other natural methods. The erosion control and herbicide management plan will be regularly monitored to ensure that herbicides are not washed into state waters.

2. Excess Deicing Material Management

Describe your program for ensuring that excess salt piles are removed in a timely manner after storm events.

The Borough is in the process of updating the Private Salt Shed Ordinance. All salt shall be stored in a permanent storage building. There shall be no salt piles outside.

3. Roadside Vegetative Waste

Describe your program for ensuring proper pickup, handling, storage, and disposal of wood waste and yard trimmings generated by the permittee along municipal roads or on municipal properties (trimming trees, mowing, etc.).

Yard waste (garden debris) is collected Monday starting the first week of April and ends at the end of December. This schedule is posted on the Borough's website.

4. Roadside Erosion Control

Describe your program to detect and repair erosion along municipal roadways.

The Borough conducts regular inspections along roadways to identify areas of erosion along municipal roadways.

Form 9 – Municipal Maintenance Yards & Other Ancillary Operations

Part IV.F.5.

Please complete a separate Form 9 for each yard or site. Indicate the number of yards/sites the municipality owns or operates: 1

| |
|---------------------------------|
| 1. Site Name and Address |
|---------------------------------|

Borough of Emerson
 Department of Public Works
 1A Emerson Plaza East
 Emerson, NJ 07630

| |
|--|
| 2. Monthly Site Inspections Describe the nature of inspections conducted at this site and the location of inspection logs. |
|--|

Monthly inspections will be held to ensure the standard operating procedures are being met. Inspection logs and tracking forms are located at the Department of Public Works office.

| |
|--|
| 3. Inventory List List all materials and machinery that are potentially exposed to stormwater. |
|--|

| Materials | Machinery/Equipment |
|-----------------|---|
| Raw materials | Salt is stored in the salt shed and calcium chloride in bags in a different shed. |
| Final products | Calcium chloride solution and brine |
| Waste materials | Used oil, oil filters and antifreeze |
| Machinery | Two generators. Fuel pumps. Dump truck and brine truck are parked in the yard. |
| Fuel | One gas and two diesel tanks |
| | |
| | |
| | |

| |
|---|
| <p>4. Discharge of Stormwater from Secondary Containment Describe the process in place for discharging stormwater from secondary containment areas where outdoor containers are stored.</p> |
| <p>N/A</p> |
| <p>5. Fueling Operations Does fueling occur on site? If so, describe the BMPs in place to minimize contamination of stormwater from fueling activities. If not, explain where fueling takes place.</p> |
| <p>There are absorbent towels under the tanks and spill kits. There is a pipe within a pipe that drains into a containment device which is alarmed. If there are any leaks the alarm is triggered and the contractor called to repair the leak. The containment device is inspected monthly. Two portable generators have spill cans to collect any diesel leakage.</p> |
| <p>6. Vehicle/Equipment Maintenance and Repair Do you perform maintenance and repair on site? Is this conducted indoors or outdoors? If outdoors, describe the BMPs in place to minimize contamination of stormwater from maintenance and repair activities.</p> |
| <p>All vehicle maintenance is conducted indoors.</p> |
| <p>7. Wash Wastewater Containment Do you wash vehicles on site? If so, describe the BMPs in place to minimize contamination of stormwater from these activities. Note that on site containment structures require annual inspections by a NJ licensed professional engineer. If not, explain where vehicle washing takes place.</p> |
| <p>There is no on-site equipment or vehicle washing done on site.</p> |

8. Salt and Other Granular De-icing Materials

Do you store salt and other granular deicing materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Salt is stored in a secure contained shed with hay bales to stop seepage. These are replaced annually. Trucks are backed up to the salt shed and the salt transferred using a loader. Excess salt is swept back into the shed. Borough is looking to upgrade the salt shed in the near future.

Brine solution is stored in sealed containers with valves that are checked regularly.

9. Aggregate Material, Wood Chips, and Finished Leaf Compost

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

There are two piles of sand and stone which were moved to a location 50 feet from the stream adjacent to the DPW yard.

10. Cold Patch Asphalt

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

N/A

11. Street Sweepings and Storm Sewer Cleanout Materials

Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.

Street sweepings and catch basin materials are placed in a container which is taken to Organic Waste, NY when full.

| |
|--|
| <p>12. Construction and Demolition Waste, Wood Waste, and Yard Trimmings Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p> |
| <p>Yard trimmings and wood waste which are generated through work on borough parks and roads are placed in a container which is taken to Organic Waste, NY when full.</p> |
| <p>13. Scrap Tires Do you store these materials on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater from these materials. If not, explain where these materials are stored.</p> |
| <p>N/A</p> |
| <p>14. Inoperable Vehicles and Equipment Do you store inoperable vehicles or equipment on site? If so, describe how they are stored and the BMPs in place to minimize contamination of stormwater. If not, explain where they are stored.</p> |
| <p>N/A</p> |

Form 10 – Training

Part IV.F.6-10.

| Stormwater Program Coordinators |
|---|
| Describe the training provided for the municipal Stormwater Program Coordinator. |
| <p>To guarantee the municipal Stormwater Program Coordinator (MS4 Coordinator) is provided with the appropriate education and services to perform their duties, NJDEP provides training and resources on stormwater management and related topics.</p> <p>https://dep.nj.gov/stormwater/stormwater-training/#dpw-training</p> |

| Topic | Municipal Employees |
|--|----------------------------|
| Examples: in-person or virtual group sessions, e-Learning, field trainings, and videos | |
| Describe the training provided for municipal staff. | |
| SPPP | Per videos |
| Construction Site Stormwater Runoff | Per videos |
| Post-Construction Stormwater Management in New and Redevelopment | Per videos |
| Community-wide Ordinances | Per videos |
| Community-wide Measures | Per videos |

| | |
|--|------------|
| Stormwater Facilities Maintenance | Per videos |
| Municipal Maintenance Yards and Other Ancillary Operations | Per videos |
| MS4 Mapping | Per videos |
| Outfall Stream Scouring | Per videos |
| Illicit Discharge Detection and Elimination | Per videos |

| Stormwater Management Design Reviewers |
|---|
| Describe the training provided for individuals responsible for reviews and approvals of stormwater management designs. |
| Individuals who review and approve stormwater management designs for major developments on behalf of the municipality are required under the MS4 permit to attend the mandatory NJDEP Stormwater Management Design Review course at least once every 5 years. They are required by the MS4 permit to also attend mandatory NJDEP training on amendments to the stormwater management rules at N.J.A.C. 7:8. |

| Municipal Board and Governing Body Members |
|--|
| Describe the training provided for members of the planning/zoning board and municipal council. |
| Training is in the form of online videos, posted nj.gov/dep/stormwater/training.htm . All members of the Municipal Land Use Board (LUB), including Alternates and all members of the Mayor and Council have taken the required training. |

| Training Records |
|---|
| Indicate the location of training records for the above required training. |
| Office of the Borough Clerk Borough of Emerson 1 Municipal Place Emerson, NJ 07630 |

Form 11 – MS4 Mapping

Part IV.G.1.

| | |
|--|-----|
| 1. Provide a link to the most current MS4 outfall/infrastructure map. | |
| https://boswelleng.maps.arcgis.com/apps/webappviewer/index.html?id=e47ac6127752474f802184d4f0673f4a | |
| 2. Indicate the total of each type of MS4 infrastructure listed below (due 01 Jan 2026). | |
| a. MS4 outfalls | 33 |
| b. MS4 ground water discharge points (basins or overland flow infiltration areas) | |
| c. MS4 interconnections | |
| d. MS4 storm drain inlets | 743 |
| e. MS4 manholes | 249 |
| f. Length of conveyance (channels, pipes, ditches, etc.) | |
| g. MS4 pump stations | 1 |
| h. MS4 stormwater facilities (any that are not listed above) | 5 |
| i. Maintenance yard(s) and other ancillary operations | 1 |
| 3. Describe how the municipality’s outfall/infrastructure map is reviewed and updated to reflect any new or newly identified MS4 infrastructure (e.g., an outfall is closed, a new basin is constructed, ownership of an outfall has changed, etc.). | |
| <p>The Borough has no new outfalls and there are no new outfalls being proposed. As for the infrastructure map, the borough is working with the Borough Engineer to provide the required infrastructure mapping by the January 2026 deadline.</p> | |
| 4. Describe how the municipality will create and update its MS4 Infrastructure Map. | |
| <p>The Borough will be working with the Borough Engineer to obtain the required MS4 Infrastructure Map.</p> | |

Form 12 – Watershed Improvement Plan

Part IV.H.

| |
|---|
| 1. Describe how your municipality is developing its Watershed Improvement Plan. |
| At this time, Phase 1 of the WIP has been completed as the Borough was able to complete a stormwater inventory by mapping required features. The Stormwater Coordinator and/or Borough Engineer shall annually review approved or adopted Total Maximum Daily Load (TDML) reports to identify stormwater related pollutants listed therein and associated with any segment of surface water wholly or partially within or bordering the Borough of Emerson. This information is available at the following link: www.nj.gov/dep/dwq/msrp-tmdl-rh.htm |
| 2. Describe any regional projects or collaboration efforts with other municipalities. |
| N/A |
| 3. Indicate the location of records related to all public information sessions and meetings for discussions of the Watershed Improvement Plan. |
| All records related to public information sessions and meetings for discussions of the Watershed Improvement Plan will be kept on file at the DPW office. |